

incyidental

Prosthetics

Incyidental Ltd
Unit 12, Devonshire Business Park
74 Eldon Street, Sheffield, S1 4GT
0114 272 1392

www.incyidental.co.uk
info@incyidental.co.uk

Surgery

Dentist

This is a custom made dental appliance for the exclusive use of:

Patient

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Age Gender: M / F Disinfected: Y / N

Trays	DDMMYY00:00	LAB USE	Re-Try	DDMMYY00:00	LAB USE
Bites	DDMMYY00:00	LAB USE	Re-Try	DDMMYY00:00	LAB USE
Try In	DDMMYY00:00	LAB USE	Finish	DDMMYY00:00	LAB USE

Basic Intermediate Private SHADE

*Please include time if fitting same day as return date.
Please note during busier times we cannot guarantee the return date specified on the ticket.
We will endeavour to meet return dates wherever possible, however priority shall be given to Private and Intermediate standards during these times.

COBALT- CHROMES


Please tick relevant box, add notes and use diagrams if required

	Upper	Lower
Basic Chrome	<input type="checkbox"/>	<input type="checkbox"/>
Intermediate Chrome	Vitalium	Vitalium
Private Chrome	Vitalium	Vitalium

Private Prosthetics set up

<input type="checkbox"/> Standard	<input type="checkbox"/> Diastema
<input type="checkbox"/> Irregular	<input type="checkbox"/> Rugae

Please indicate using the diagram below for denture designs including Clasps and/or Rests for Chrome Dentures.
Please note: All roots will be left in situ for Finishes & Additions unless stated otherwise.



YOUR ATTENTION IS DRAWN TO THE FOLLOWING
This is a custom made dental appliance that has been manufactured to satisfy the attributes, characteristics, property and features specified by the client for the above patient. This dental appliance is intended for the exclusive use by this patient and conforms to the relevant essential requirements in Annex 1 of the Medical Devices Directive and the United Kingdom Medical Devices Regulations.
THIS DENTAL APPLIANCE IS SUPPLIED IN AN UNSTERILISED STATE.
ANY RELEVANT ESSENTIAL REQUIREMENT NOT MET SHALL BE RECORDED OVERLEAF

Labuse: No

Enclosures

Inspection/QC: Signed Date

Total cost of appliance(s) £